





RIB & SPORT INFLATABLE BOAT

MAKING LIFE FUN ON THE WATER

RIB250



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	250cm
Total width:	145cm
Tube diameter:	38cm
Net weight:	60kgs
Max person:	3 persons
Max engine power:	4.4HP/3.25KW
Packing size:	250x110x50cm
Max payload:	290kgs
Design category:	C
Air chamber number:	4
Packing in container:	26 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Aluminum bench seat

OPTIONAL ACCESSORIES

- 2.5kgs folding anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Dinghy wheel
- Boat cover
- Seat cushion





Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	270cm
Total width:	162cm
Tube diameter:	42cm
Net weight:	about 65kgs
Max person:	3 persons
Max engine power:	10HP
Packing size:	250x110x50cm
Max payload:	290kgs
Design category:	C
Air chamber number:	3
Packing in container:	16 sets/20 feet container

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Aluminum seat

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Dinghy wheels
- Jockey console with seat
- Mechanical steering system
- Fiberglass step ends
- Extra protection for tube
- Boat cover

RIB300



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION


Total length:	300cm
Total width:	162cm
Tube diameter:	42cm
Net weight:	about 70kgs
Max person:	4 persons
Max engine power:	20.9HP/15.6KW
Packing size:	280x120x50cm
Max payload:	400kgs
Design category:	C
Air chamber number:	3
Packing in container:	14 sets/20 feet container

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Aluminum seat

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- mechanical steering system
- Stainless steel arch roll bar with 3 lights
- Jockey console with seat
- Dinghy wheels
- Extra protection for tube
- Boat cover





RIB330

Model A



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	330cm
Total width:	160cm
Tube diameter:	42cm
Net weight:	about 75kgs
Max person:	4 persons
Max engine power:	20HP/14.91KW
Packing size:	320x120x50cm
Max payload:	450kgs
Design category:	C
Air chamber number:	3
Packing in container:	14 sets/20 feet container

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Fiberglass anchor tray
- Aluminum seat

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system
- Stainless steel arch roll bar with 3 lights
- Console 3 options
- Dinghy wheels
- Extra protection for tube
- Boat cover


RIB330

Model B



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	330cm
Total width:	160cm
Tube diameter:	42cm
Net weight:	about 90kgs
Max person:	4 persons
Max engine power:	20HP/14.91KW
Packing size:	320x120x60cm
Max payload:	450kgs
Design category:	C
Air chamber number:	3
Packing in container:	14 sets/20 feet container





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushion
- Fiberglass anchor tray
- Aluminum seats

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Teak floor set
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system with steering wheel
- Stainless steel arch roll bar with 3 lights
- Center console without front seat
- Seat box
- Fiberglass step ends
- Extra protection for tube
- Boat cover
- Boat trailer



RIB330

Model C

CE



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	330cm
Total width:	160cm
Tube diameter:	42cm
Net weight:	about 100kgs
Max person:	4 persons
Max engine power:	20HP/14.91KW
Packing size:	320x130x60cm
Max payload:	450kgs
Design category:	C
Air chamber number:	3
Packing in container:	12 sets/20 feet container






STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console with side seat(including windshield)
- Stainless steel back rest
- Bilge pump
- Fiberglass step ends
- Mechanical steering system

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel Frame and wooden box packing
- Extra protection for tube
- Boat cover
- Boat trailer



RIB360

Model B



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	360cm
Total width:	180cm
Tube diameter:	45cm
Net weight:	about 100kgs
Max person:	5 persons
Max engine power:	25HP/18.64KW
Packing size:	340x130x70cm
Max payload:	650kgs
Design category:	C
Air chamber number:	3
Packing in container:	10 sets/20 feet container




STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushions
- Fiberglass anchor tray
- Aluminum seats

OPTIONAL ACCESSORIES

- 2.5kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel Frame and wooden box packing

- Mechanical steering system
- Stainless steel arch roll bar with 3 lights
- Center console without front seat
- Seat box
- Fiberglass step ends
- Extra protection for tube
- Boat cover
- Boat trailer



RIB360

Model C



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	360cm
Total width:	180cm
Tube diameter:	45cm
Net weight:	about 120kgs
Max person:	5 persons
Max engine power:	25HP/18.64KW
Packing size:	350x140x70cm
Max payload:	650kgs
Design category:	C
Air chamber number:	3
Packing in container:	10 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console with side seat(including windshield)
- Stainless steel back rest
- Bilge pump
- Fiberglass step ends
- Mechanical steering system with steering wheel


OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminium Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- 30L built-in fuel tank
- Stainless steel arch roll bar with 3 lights
- Extra protection for the under tube
- Boat cover
- Boat trailer



RIB390

Model B



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	390cm
Total width:	177cm
Tube diameter:	48cm
Net weight:	about 100kgs
Max person:	5 persons
Max engine power:	30HP/22.37KW
Packing size:	380x140x80cm
Max payload:	650kgs
Design category:	C
Air chamber number:	3
Packing in container:	12sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushion
- Fiberglass anchor tray
- Aluminum benches


OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system with steering wheel
- Stainless steel arch roll bar with 3 lights
- Center console without front seat
- Seat box
- Fiberglass step ends
- Extra protection for the under tube
- Boat cover
- Boat trailer



RIB390

Model C



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	390cm
Total width:	177cm
Tube diameter:	48cm
Net weight:	about 110kgs
Max person:	5 persons
Max engine power:	30HP/22.37KW
Packing size:	420x150x80cm
Max payload:	650kgs
Design category:	C
Air chamber number:	3
Packing in container:	6 sets/20 feet container




STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield, 4 point switch)
- Stainless steel back rest
- Bilge pump
- Fiberglass step ends
- Mechanical steering system with steering wheel

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- 30L built-in fuel tank
- Stainless steel arch roll bar with 3 lights
- Extra protection for the under tube
- Boat cover
- Boat trailer




RIB430

Model A



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION


Total length:	430cm
Total width:	196cm
Tube diameter:	48cm
Net weight:	about 150kgs
Max person:	6 persons
Max engine power:	40HP/29.82KW
Packing size:	420x150x80cm
Max payload:	640kgs
Design category:	C
Air chamber number:	4
Packing in container:	6 sets/20 feet container





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushions
- Fiberglass anchor tray
- Aluminum benches



OPTIONAL ACCESSORIES


- 4kgs anchor
- Life jacket
- Aluminum sunshade
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system with steering wheel
- Stainless steel arch roll bar with 3 lights
- Center console with different models
- Seat box
- Fiberglass step ends
- Extra protection for tube
- Boat cover
- Boat trailer



RIB430




Model B




Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	430cm
Total width:	196cm
Tube diameter:	48cm
Net weight:	about 200kgs
Max person:	6 persons
Max engine power:	40HP/29.82KW
Packing size:	420x150x80cm
Max payload:	640kgs
Design category:	C
Air chamber number:	4
Packing in container:	6 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield)
- Stainless steel back rest
- Bilge pump
- Back foldable light
- Stainless steel ski loops
- Fiberglass step ends
- Mechanical steering system with steering wheel and cables
- 50L built-in fuel tank

OPTIONAL ACCESSORIES

- 4kgs anchor
- life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Stainless steel arch roll bar with 3 lights
- Extra protection for tube
- Boat cover
- Boat trailer




RIB480



Model A


Tube Material Option


- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	480cm
Total width:	200cm
Tube diameter:	48cm
Net weight:	about 183kgs
Max person:	6 persons
Max engine power:	60HP/44.74KW
Packing size:	460 x 150 x90 cm
Max payLoad:	680kgs
Design category:	C
Air chamber number:	5
Packing in a container:	4 sets/20 feet container





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin
- Fiberglass anchor tray
- Cushions
- Center console with front console
- Seat box


OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery and battery box
- Teak floor
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Standard steering system with steering wheel and cables
- Stainless steel arch roll bar with 3 lights
- Boat cover
- Boat Trailer
- Fiberglass step ends



RIB480

Model B



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	480cm
Total width:	200cm
Tube diameter:	48cm
Net weight:	about 260kgs
Max person:	6 persons
Max engine power:	60HP/44.74KW
Packing size:	470x160x110cm
Inside width:	104cm
Max payload:	680kgs
Design category:	C
Air chamber number:	5
Packing in container:	4 sets/20 feet container





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield, 4 point switch and fuel gauge)
- Stainless steel back rest
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- 60L built-in fuel tank
- Fiberglass step ends


OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system
- Extra protection for the under tube
- Boat cover
- Boat trailer



RIB480

Model D



Tube Material Option

- PVC 0.9mm Tube
- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	480cm
Total width:	200cm
Tube diameter:	48cm
Net weight:	about 220kgs
Max person:	6 persons
Max engine power:	60HP/44.74kW
Packing size:	470x160x100cm
Max payload:	680kgs
Design category:	C
Air chamber number:	5
Packing in container:	3 sets/20 feet container

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console with side seat(including windshield, 4 point switch and fuel gauge)
- Stainless steel back rest
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- 60L built-in fuel tank
- Back ladder
- Sun deck with cushion

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system
- Extra protection for the under tube
- Boat cover
- Boat trailer



RIB480

Model W



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	480cm
Total width:	235cm
Tube diameter:	48cm
Net weight:	about 280kgs
Max person:	6 persons
Max engine power:	60HP/44.74KW
Packing size:	470x180x100cm
Max payload:	680kgs
Design category:	C
Air chamber number:	5
Packing in container:	3 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console with side seat(including windshield, 4 point switch and fuel gauge)
- Stainless steel back rest
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- 60L built-in fuel tank

OPTIONAL ACCESSORIES

- 4kgs anchor
- life jacket
- Aluminum Bimini Top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Fiberglass step ends
- Steel frame and wooden box packing
- Mechanical steering system
- Boat cover
- Boat trailer

RIB500

Tube Material Option

- 1.2mm PVC
- Hypalon from FRG
- Hypalon from ORCA



SPECIFICATION

Total length:	500cm
Total width:	210cm
Tube diameter:	50cm
Net weight:	about 315kgs
Max person:	6 persons
Max engine power:	60HP/44.74KW
Packing size:	470 x 160 x 110 cm
Inside width:	100cm
Max payload:	686kgs
Air chamber number:	5
Packing in container:	3 sets/20 feet container



STANDARD ACCESSORIES

- A pair of oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield, 4 point switch and fuel gauge)
- stainless steel back rest
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- 60L built-in fuel tank

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Steel frame and wooden box packing
- Extra protection for the under tube
- Mechanical steering system
- Hydraulic steering system with steering wheel
- Boat cover
- Dining table
- Stainless steel C shape ladder
- Boat trailer



RIB520

Model A



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	520cm
Total width:	208cm
Tube diameter:	50cm
Net weight:	about 200kgs
Max person:	7 persons
Max engine power:	85HP/63.38KW
Packing size:	480x150x90cm
Max payload:	980kgs
Design category:	C
Air chamber number:	5
Packing in container:	4 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushion
- Fiberglass anchor tray
- Aluminum benches

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system
- Hydraulic steering system
- Stainless steel arch roll bar with 3 lights
- Boat cover
- Center console with front seat
- Center console without front seat
- Extra protection for the under tube
- Boat trailer

RIB520



Model B

Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Butterfly shape anchor tray
- Center console(including windshield, 4 point switch and fuel gauge)
- Seat box
- Stainless steel back rest
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- 80L built-in fuel tank

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Alumunum Bimini top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Fiberglass step ends
- Mechanical steering system
- Hydraulic steering system
- Boat cover
- Stainless steel C shape ladder
- Stainless steel handrails
- Jockey style seat box
- Extra protection for the under tube
- Boat trailer



SPECIFICATION

Total length:	520cm
Total width:	254cm
Tube diameter:	52cm
Net weight:	about 400kgs
Max person:	8 persons
Max engine power:	85HP/63.38KW
Packing size:	510x200x100cm
Max payload:	980kgs
Design category:	C
Air chamber number:	5
Packing in container:	3 sets/20 feet container



RIB520

Model W



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG Tube
- Hypalon From ORCA Tube

SPECIFICATION

Total length:	520cm
Total width:	235cm
Tube diameter:	52cm
Net weight:	about 280kgs
Max person:	8 persons
Max engine power:	85HP/63.38KW
Packing size:	500x190x90cm
Max payload:	980kgs
Design category:	C
Air chamber number:	5
Packing in container:	4 sets/20 feet container

STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushion
- Fiberglass anchor tray
- Aluminum seats

OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini Top
- 60a battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system with steering wheel
- Hydraulic steering system with steering wheel
- Stainless steel arch roll bar with 3 lights
- Center console with front seat
- Center console without front seat
- Seat box
- Seat box with stainless steel handrails
- Boat cover
- 60l built-in fuel tank
- Boat trailer



RIB520

Model C



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	520cm
Total width:	228cm
Tube diameter:	52cm
Net weight:	about 400kgs
Max person:	8 persons
Max engine power:	85HP/63.38KW
Packing size:	510x200x100cm
Max payload:	980kgs
Design category:	C
Air chamber number:	5
Packing in container:	3 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield, 4 point switch and fuel gauge)
- Stainless steel or fiberglass arch roll bar with 3 lights
- Bilge pump
- Sun deck with cushions



OPTIONAL ACCESSORIES

- 4kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Fiberglass step ends
- Mechanical steering system
- Hydraulic steering system
- Boat cover
- Stainless steel C shape ladder
- 60L built-in fuel tank
- Extra protection for the under tube
- Boat trailer




RIB550

Model B



Tube Material Option

- 1.2mm PVC:
- Hypalon from FRG
- Hypalon from ORCA



SPECIFICATION

Total length:	550cm
Total width:	230cm
Tube diameter:	52cm
Net weight:	about 440kgs
Max person:	7 persons
Max engine power:	115HP/85.75KW
Packing size:	560 x 190 x100 cm
Max payLoad:	1000kgs
Air chamber number:	5
Packing in container:	2 sets/20 feet container





STANDARD ACCESSORIES

- A pair of oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- 100L built-in oil tank
- Fiberglass anchor tray
- Bilge pump
- Center console(including windshield, 4 point switch,oil gauge)
- fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- Stainless steel back rest with roller


OPTIONAL ACCESSORIES

- Hydraulic steering system
- Life jacket
- 6kgs anchor
- Electric pump with battery
- Electric pump without battery
- Stainless steel C shape ladder
- Stainless steel T-TOP sunshade with rod holder
- Aluminum Bimini top
- 60A battery
- Teak floor
- Stainless steel hanrails for anchor tray
- Shower system
- Boat cover
- Fiberglass step ends
- Boat trailer

Tofunmarine

RIB550

Model W



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA

SPECIFICATION

Total length:	550cm
Total width:	235cm
Tube diameter:	52cm
Net weight:	about 300kgs
Max person:	7 persons
Max engine power:	90HP/67.11KW
Packing size:	520x200x90cm
Max payload:	1000kgs
Design category:	C
Air chamber number:	5
Packing in container:	4 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushion
- Fiberglass anchor tray
- 60L built-in fuel tank
- Aluminum seats

OPTIONAL ACCESSORIES


- 6kgs anchor
- Life jacket
- Aluminum Bimini top
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Soft ladder
- Steel frame and wooden box packing
- Mechanical steering system with steering wheel
- Hydraulic steering system with steering wheel
- Stainless steel arch roll bar with 3 lights
- High center console with front seat
- Fiberglass step ends
- Seat box
- Seat box with stainless steel handrails
- Boat cover
- Extra protection for the under tube
- Boat trailer



RIB580




Model A



Tube Material Option

- 1.2mm PVC
- Hypalon from FRG
- Hypalon from ORCA



SPECIFICATION

Total length:	580cm
Total width:	238cm
Tube diameter:	58cm
Net weight:	about 422kgs
Max person:	8 persons
Max engine power:	115HP/85.75KW
Packing size:	560 x 190 x100 cm
Inside width:	118cm
Max payLoad:	1200kgs
Design category:	C
Air chamber number:	5
Packing in container	2 sets/20 feet container



STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Boat cover
- Front and back cabin
- 90L built-in oil tank
- 5.5kgs anchor and 30m anchor rope
- Fiberglass anchor tray
- Bilge pump and switch
- Cushions
- Center console(including windshield, 4 point switch,oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- Stainless steel ski bar
- Vent hole




OPTIONAL ACCESSORIES

- Hydraulic steering system
- Life jacket set
- 6kgs anchor
- Shower system
- Electric pump with battery
- Electric pump without battery
- Aluminum Bimini top
- Stainless steel C shape ladder
- Stainless steel T-TOP sunshade with rod holder
- 60A battery and battery box
- Teak floor
- Soft ladder
- Stainless steel hanrails
- Fiberglass step ends
- Boat trailer




RIB580

Model B Deluxe



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	580cm
Total width:	238cm
Tube diameter:	58cm
Net weight:	about 430kgs
Max person:	8 persons
Max engine power:	115HP/85.75KW
Packing size:	560x200x100cm
Max payload:	1200kgs
Design category:	C
Air chamber number:	5
Packing in container:	2 sets/20 feet container



STANDARD ACCESSORIES


- Oars
- Foot pump
- Repair kit
- Boat cover
- Front and back cabin
- 90L built-in oil tank
- 5.5kgs anchor and 30m anchor rope
- Fiberglass anchor tray
- Bilge pump and switch
- Cushions
- Center console(including whindshield, 4 point switch, oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- Stainless steel ski bar
- Vent hole
- Fiberglass step ends
- Teak floor set

OPTIONAL ACCESSORIES

- Hydraulic steering system
- Life jacket set
- 6kgs anchor
- Shower system
- Electric pump with battery
- Electric pump without battery
- Stainless steel back ladder
- Stainless steel T-Top sunshade with rod holder
- Aluminum Bimini top
- 60A battery and battery box
- Soft ladder
- Boat trailer

RIB580

Model B Sport



SPECIFICATION

Total length:	580cm
Total width:	238cm
Tube diameter:	58cm
Net weight:	about 430kgs
Max person:	8 persons
Max engine power:	115HP/85.75KW
Packing size:	560x200x100cm
Max payload:	1200kgs
Design category:	C
Air chamber number:	5
Packing in container:	2 sets/20 feet container

Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Boat cover
- Front and back cabin
- 90L built-in oil tank
- 5.5kgs anchor and 30m anchor rope
- Fiberglass anchor tray
- Bilge pump and switch
- Cushions
- Center console(including whindshield, 4 point switch, oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- Stainless steel ski bar
- Vent hole
- Fiberglass step ends
- Sun Deck set

OPTIONAL ACCESSORIES

- Hydraulic steering system
- Life jacket set
- 6kgs anchor
- Shower system
- Electric pump with battery
- Electric pump without battery
- Stainless steel back ladder
- Stainless steel T-Top sunshade with rod holder
- Aluminum Bimini top
- 60A battery and battery box
- Soft ladder
- Teak floor set
- Boat trailer

RIB680




Model A



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	680cm
Total width:	252cm
Tube diameter:	52cm
Net weight:	about 500kgs
Max person:	10 persons
Max engine power:	200HP/149.13KW
Packing size:	650x200x100cm
Max payload:	1350kgs
Design category:	C
Air chamber number:	7
Packing in container:	2 sets/40 feet container




STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushions
- Fiberglass anchor tray
- Center console(including windshield, 4 point switch, oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- 150L built-in fuel tank
- Bilge pump
- Live well

OPTIONAL ACCESSORIES

- Life jacket set
- 6kgs anchor
- Electric pump with battery
- Electric pump without battery
- Stainless steel T-Top sunshade with rod holder
- 60A battery
- Soft ladder
- Boat cover
- Teak floor set
- Hydraulic steering system with steering wheel
- Extra protection for tube
- Boat trailer



RIB680

Model B



Tube Material Option


- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	680cm
Total width:	252cm
Tube diameter:	52cm
Net weight:	about 600kgs
Max person:	10 persons
Max engine power:	200HP/149.13KW
Packing size:	670x210x100cm
Max payload:	1350kgs
Design category:	C
Air chamber number:	7
Packing in container:	2 sets/40 feet container





STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front cabin with cushions
- Fiberglass anchor tray
- Center console(including whindshield, 4 point switch, oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar (with 3 navigation lights)
- 120L built-in fuel tank
- Bilge pump
- Stainless steel water ski

OPTIONAL ACCESSORIES

- Life jacket set
- 6kgs anchor
- Electric pump with battery
- Electric pump without battery
- Stainless steel T-Top sunshade with rod holder
- Aluminum Bimini top
- 60A battery
- Soft ladder
- Boat cover
- Teak floor set
- Hydraulic steering system with steering wheel
- Shower system with 100L water tank and pipe
- Fiberglass step ends
- Extra protection for tube
- Boat trailer



RIB700



Tube Material Option

- 1.2mm PVC
- Hypalon From FRG
- Hypalon From ORCA



SPECIFICATION

Total length:	700cm
Total width:	286cm
Tube diameter:	52cm
Net weight:	about 900kgs
Max person:	12 persons
Max engine power:	250HP/186.42KW
Packing size:	710 x 220 x120 cm
Max payLoad:	1960kgs
Air chamber number:	7
Packing in container:	2 sets/40 feet container






STANDARD ACCESSORIES

- A pair of oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Luxury FRP anchor tray
- Center console include windscreen, oil gauge and 4 point switch
- Seat box with foldable dining table and water cup base
- Stainless steel or fiberglass arch roll bar with 3 navigation lights
- 240L built in fuel tank
- Diving and swimming platform
- Bilge pump

OPTIONAL ACCESSORIES


- Life jacket set
- Stainless steel T-TOP sunshade
- 60A battery
- Teak floor
- Electric pump with battery
- Electric pump without battery
- Hydraulic steering system with steering wheel
- Stainless steel C shape ladder or back ladder
- Stainless steel telescope ladder
- 8kgs stainless steel anchor
- Boat cover
- Electric windlass
- 10m 316 stainless steel anchor chain
- Shower system with 50L water tank and pump
- Boat trailer

RIB760



Tube Material Option

- PVC 1.2mm Tube
- Hypalon From FRG
- Hypalon From ORCA





SPECIFICATION

Total length:	760cm
Total width:	270cm
Tube diameter:	52cm
Net weight:	about 800kgs
Max person:	13 persons
Max engine power:	250HP/186.42KW
Packing size:	750x200x110cm
Max payload:	1960kgs
Design category:	C
Air chamber number:	7
Packing in container:	2 sets/40 feet container



RIB760




STANDARD ACCESSORIES

- Oars
- Foot pump
- Repair kit
- Front and back cabin with cushions
- Standard FRP anchor tray without storage for anchor chain
- Center console(including windshield, 4 point switch, oil gauge)
- Seat box
- Fiberglass or stainless steel arch roll bar(with 3 navigation lights)
- 280L built-in fuel tank
- Bilge pump

OPTIONAL ACCESSORIES

- Life jacket set
- 8kgs stainless steel anchor
- Electric pump with battery
- Electric pump without battery
- Stainless steel T-Top sunshade with rod holder
- Stainless steel C shape ladder
- Stainless steel telescope ladder
- Anchor tray with storage for anchor chains
- 60A battery
- 10m 316 stainless steel anchor chain
- Electric anchor windlass
- Boat cover
- Teak floor set
- Hydraulic steering system with steering wheel
- Shower system with 100L water tank and pump
- Dining table
- Front sun deck with cushions
- Boat trailer






RIB830



SPECIFICATION

Length(cm):	830
Beam(cm):	288
Hull length(cm):	705
Hull width(cm):	226
No of chamber:	6
Tube diameter(cm):	62
Max person:	16
Engine power(HP):	250
Net weigh(kg):	1000
Packing size(cm):	760X240X120

The above-mentioned parameters are subject to actual data.



STANDARD ACCESSORIES

- A pair of oars
- A foot pump
- A repair kit
- Boat cover
- Electric air pump
- Life jackets
- Center console
- Fiberglass or stainless
- Steel roll bar (with navigation lights)
- Anchor
- Anchor rope
- Lifting belt
- Shower system

- Bilge pump
- Seat box (with cushion and stainless steel Frame)
- Double 200l built-in oil tank
- 70l built-in water tank
- Fiberglass anchor tray
- 100a battery (with battery box)
- Benches with cushions
- Standard steering system
- Bimini top
- Hydraulic steering system

OPTIONAL ACCESSORIES

- Boat trailer
- Teak floor
- GPS